

BRE Client Report

BRE Dwelling Level Housing Stock Modelling and Database for East Cambridgeshire District Council

Prepared for: Julia Atkins, Environmental Health Officer (Domestic)

Date: 29 May 2015

Report Number: 300-896 Issue: 1

BRE
Watford, Herts
WD25 9XX

Customer Services 0333 321 8811

From outside the UK:
T + 44 (0) 1923 664000
F + 44 (0) 1923 664010
E enquiries@bre.co.uk
www.bre.co.uk

Prepared for:
Julia Atkins
Senior Environmental Health Officer (Domestic)
East Cambridgeshire District Council
The Grange
Nutholt Lane
Ely
Cambridgeshire
CB7 4EE



Prepared by

Name Ian Watson, Housing and Health

Position Principal Consultant

Date 29 May 2015

Signature

A handwritten signature in black ink, appearing to be 'I. Watson', is written over a light blue horizontal line.

Authorised by

Name Rob Flynn, Housing and Health

Position Director

Date 29 May 2015

Signature

A handwritten signature in black ink, appearing to be 'R. Flynn', is written over a light blue horizontal line.

This report is made on behalf of Building Research Establishment Ltd. (BRE) and may only be distributed in its entirety, without amendment, and with attribution to BRE to the extent permitted by the terms and conditions of the contract. BRE's liability in respect of this report and reliance thereupon shall be as per the terms and conditions of contract with the client and BRE shall have no liability to third parties to the extent permitted in law.



Executive summary

- East Cambridgeshire District Council commissioned BRE to undertake a series of modelling exercises on their housing stock. This report describes the modelling work and provides details of the results obtained from the dwelling level model and database. The database is also provided to the council to enable them to obtain specific information whenever required.
- The council also commissioned a Health Impact Assessment (HIA) which is provided in a separate report.
- The detailed housing stock information provided in this report will facilitate the delivery of East Cambridgeshire's housing strategy and enable a targeted intervention approach to improving housing. In addition to this there are also several relevant government policies – the Housing Act 2004, Housing Strategy Policy, Local Authority Housing Statistics (LAHS) and the Green Deal/ECO.
- The main aims of this work were to provide estimates of:
 - The percentage of dwellings meeting each of the key indicators¹ for East Cambridgeshire overall and broken down by tenure and then mapped by COA (private sector stock only)
 - Information relating to LAHS reporting for the private sector stock - category 1 hazards and information on EPC ratings
- BRE Housing Stock Models were used to provide such estimates at dwelling level with a focus on private sector housing. The key indicators provide East Cambridgeshire with detailed information on the likely condition of the stock and the geographical distribution of properties of interest.
- A stock modelling approach has been developed and used by BRE for many years and the most recent 2014 models have been updated to make use of the results of the 2011 English Housing Survey (EHS)² and additionally now incorporate a technique known as geomodelling³ which makes use of Ordnance Survey (OS) data. These dwelling level models are used to estimate the likelihood of a particular dwelling meeting the criteria for each of the key indicators. These outputs can then be mapped to provide the authority with a geographical distribution of each of the key indicators which can then be used to target resources for improving the housing stock.

¹ Presence of a HHSRS category 1 hazard, presence of a category 1 hazard for excess cold, presence of a category 1 hazard for falls, dwellings in disrepair, fuel poverty (10% and Low Income High Cost definitions), dwelling occupied by a low income household and SimpleSAP rating.

² 2011 is the latest available data. Prior to the 2014 models EHS 2009 data was used.

³ The OS data has been used to update a number of the model inputs – the main value of the OS data is the ability to determine the dwelling type with much greater confidence – see Appendix B for more information.



- The headline results are as follows:

Headline results for East Cambridgeshire

1,089 dwellings in the private rented sector have category 1 Housing Health and Safety Rating System (HHSRS) hazards. This equates to 22% of properties in the private rented sector. *See full results*

The highest concentrations of fuel poverty in the private sector are found in the wards of Dullingham Villages, The Swaffhams and Stretham. For excess cold the highest concentrations are found in the wards of Dullingham Villages, The Swaffhams and Stretham. *See full results*

The highest concentrations of all HHSRS hazards in the private sector are found in the wards of Dullingham Villages, The Swaffhams and Downham Villages. *See full results*

The average SimpleSAP ratings for all private sector dwellings in East Cambridgeshire is 52, which is worse than both England (55) and East of England (55). For the owner occupied stock in East Cambridgeshire the figure is 53 and for the private rented sector it is 50. *See full results*

Maps by COA have been provided for the above key indicators. *See maps*

The total cost of mitigating category 1 hazards in East Cambridgeshire's private sector stock is estimated to be £18.3 million. *See full results*


19.3% (5,843) of *private sector* dwellings and 24.3% (1,205) of *private rented* dwellings in East Cambridgeshire are estimated to have an EPC rating below band E. *See full results*



Key illustrations of headline results

- The table below shows the results for 7 of the key indicators in East Cambridgeshire compared to East of England and England (EHS 2011) and split into all stock and private sector stock. The data shows that private stock in East Cambridgeshire is better than the stock for the whole of England for low income households, but worse for excess cold. East Cambridgeshire also performs better for disrepair. Compared to the East of England region, a similar pattern can be seen.

Estimates of the percentage of dwellings meeting the key indicator criteria assessed by the housing stock models and database for all stock and private sector stock – East Cambridgeshire compared to East of England and England (EHS 2011)



- The table overleaf shows the number and percentage of East Cambridgeshire’s private rented stock falling into each of the EPC ratings bands (based on SimpleSAP). This shows that the majority of properties in the private rented sector fall in the bands C to F, with over half falling in bands D and E.




Number and percentage of East Cambridgeshire's private rented stock falling into each of the EPC ratings bands (based on SimpleSAP)

	Count	Percent
(92-100) A	0	0.0%
(81-91) B	24	0.5%
(69-80) C	776	15.6%
(55-68) D	1,711	34.4%
(39-54) E	1,251	25.2%
(21-38) F	816	16.4%
(1-20) G	389	7.8%

- The map below shows the distribution of category 1 hazards, as defined by the Housing Health and Safety Rating System (HHSRS), across the local authority area. The map shows that there are concentrations of high levels of hazards in Dullingham Villages, The Swaffhams and Downham Villages wards.

Percentage of private sector dwellings in East Cambridgeshire with the presence of a HHSRS category 1 hazard





Contents

1	Introduction	9
1.1	Project aims	10
2	Policy background	11
2.1	Housing Act 2004	11
2.2	Key housing strategy policy areas and legislation	11
2.3	Other policy areas	13
2.4	Local Authority Housing Statistics (LAHS) and EPC ratings	14
3	Overview of the BRE Dwelling Level Housing Stock Modelling approach	15
3.1	Overview	15
3.2	Breakdown of the housing stock by tenure - validation	18
4	Results from the BRE Dwelling Level Housing Stock Models and Database	20
4.1	Overview of East Cambridgeshire	21
4.2	Key indicators	22
4.3	Information relating to LAHS reporting and EPC ratings	44
5	Conclusion and recommendations	48
5.1	Conclusion	48
5.2	Recommendations	48
Appendix A	Definitions of the key indicators	50
Appendix B	Methodology for the BRE Dwelling Level Housing Stock Modelling approach	53
Appendix C	Using the BRE Dwelling Level Housing Stock Database	59
Appendix D	Additional maps	63
	Glossary of terms	72



List of tables

Table 1: Key indicators split into categories	9
Table 2: Estimates of the numbers and percentage of dwellings meeting the key indicator criteria assessed by the Housing Stock Models and Database for all stock and private sector stock – East Cambridgeshire compared to East of England and England (EHS 2011)	22
Table 3: Estimates of the numbers and percentage of dwellings meeting the key indicator criteria assessed by the Housing Stock Models and Database by tenure for East Cambridgeshire	25
Table 4: <i>Total stock</i> – number and percentage of dwellings failing each of the key indicators, and average SimpleSAP ratings by ward	42
Table 5: <i>Private sector stock</i> – number and percentage of dwellings for each of the key indicators, and average SimpleSAP ratings by ward	43
Table 6: Total number of dwellings with category 1 hazards in private sector stock and cost of mitigation	44

List of figures

Figure 1: Simplified flow diagram of overall BRE housing stock modelling approach (N.B. the EHS data is only used to inform the mathematical algorithms of the model – it does not provide data)	17
Figure 2: Tenure split – comparison of BRE Housing Stock Database outputs with 2011 Census figures for East Cambridgeshire	18
Figure 3: Estimates of the percentage of dwellings meeting the key indicator criteria assessed by the Housing Stock Models and Database for all stock and private sector stock – East Cambridgeshire compared to East of England and England (EHS 2011)	23
Figure 4: Average SimpleSAP ratings for all stock and private sector stock – East Cambridgeshire compared to East of England and England (EHS 2011)	24
Figure 5: Estimates of the percentage of dwellings meeting the key indicator criteria assessed by the Housing Stock Models and Database by tenure for East Cambridgeshire	25
Figure 6: Average SimpleSAP ratings by tenure for East Cambridgeshire	26
Figure 7: A representation of the Low Income High Costs definition of fuel poverty ²⁶	33
Figure 8: Number and percentage of East Cambridgeshire's <i>private sector stock</i> falling into each of the EPC ratings bands (based on SimpleSAP)	45
Figure 9: Number and percentage of East Cambridgeshire's <i>private rented stock</i> falling into each of the EPC ratings bands (based on SimpleSAP)	46



List of maps

Map 1: Distribution of estimated percentage of private rented dwellings in East Cambridgeshire – based on database	19
Map 2: Distribution of estimated percentage of private rented dwellings in East Cambridgeshire – based on 2011 Census Data (Neighbourhood Statistics)	19
Map 3: The wards in East Cambridgeshire	21
Map 4: Percentage of private sector dwellings in East Cambridgeshire with the presence of a HHSRS category 1 hazard	29
Map 5: Percentage of private sector dwellings in East Cambridgeshire with the presence of a HHSRS category 1 hazard for excess cold	30
Map 6: Percentage of <i>private rented</i> dwellings in East Cambridgeshire with the presence of a HHSRS category 1 hazard for excess cold	31
Map 7: Percentage of private sector dwellings in East Cambridgeshire with the presence of a HHSRS category 1 hazard for falls	32
Map 8: Percentage of private sector dwellings in East Cambridgeshire occupied by households in fuel poverty - 10% definition	35
Map 9: Percentage of private sector dwellings in East Cambridgeshire occupied by households in fuel poverty – Low Income High Costs definition	36
Map 10: Percentage of private sector dwellings in East Cambridgeshire occupied by low income households	38
Map 11: Percentage of private sector dwellings in East Cambridgeshire with both the presence of a HHSRS category 1 hazard for excess cold and occupied by low income households	39
Map 12: Average SimpleSAP ratings per dwelling in East Cambridgeshire private sector stock	41
Map 13: Distribution of dwellings with F or G EPC ratings in the private rented stock	47



1 Introduction

East Cambridgeshire District Council commissioned BRE to undertake a series of modelling exercises on their housing stock. This report describes the modelling work and provides details of the results obtained from the dwelling level model and database. The database is also provided to the council to enable them to obtain specific information whenever required.

The council also commissioned BRE to carry out a Health Impact Assessment (HIA), the results of which are provided in a separate report.

The stock models and database provide the council with dwelling level information on various key housing indicators, focussing on private sector housing. The key indicators provide East Cambridgeshire with detailed information on the likely condition of the stock and the geographical distribution of properties of interest. These properties are likely to be suitable targets for energy efficiency improvements or other forms of intervention, such as mitigating Housing Health and Safety Rating System (HHSRS) hazards. The key indicators are split into indicators related to house condition, energy efficiency and household vulnerability as shown in **Table 1** (see **Appendix A** for full definitions):

Table 1: Key indicators split into categories

Indicator	House condition indicators	Energy efficiency indicators	Household vulnerability indicators
Presence of HHSRS cat 1 hazard	✓		
Presence of cat 1 hazard for excess cold	✓	✓	
Presence of cat 1 hazard for falls	✓		
Dwellings in disrepair	✓		
Fuel Poverty (10% and Low income, High cost definitions)			✓
Dwellings occupied by low income households			✓
SimpleSAP rating		✓	

N.B. Presence of category 1 hazard for falls does NOT include the hazard of falling between levels

The single indicators shown in **Table 1** can also be combined within the database to provide powerful information on the housing stock, for example dwellings suffering from excess cold and also occupied by households on a low income. The true potential of the database lies in its ability to produce combined indicators such as this, as it allows council officers to explore the stock and to assess the likely scope of any programmes they might wish to implement.

It is also possible to extract other information from the database which is of use to local authorities. This information includes estimates relating to the Department for Communities and Local Government's



(DCLG) Local Authority Housing Statistics (LAHS) reporting of Energy Performance Certificate (EPC) ratings, costs of mitigating hazards.

The key indicators and other information are derived from the Housing Stock Database which is made up of a series of Dwelling Level Stock Models. The BRE dwelling level stock models have been used for many years to provide key housing indicators to local authorities. The most recent 2014 models have been updated to make use of the results of the 2011 English Housing Survey (EHS)⁴ and additionally now incorporate a technique known as geomodelling⁵ which makes use of Ordnance Survey (OS) data. The models also make significant use of the Experian UK Consumer Dynamics Database of dwelling and household indicators as inputs to the models.

The information in the database can be used to ensure the council meets various policy and reporting requirements. For example, local housing authorities are required to review housing conditions in their districts in accordance with the Housing Act 2004⁶.

Furthermore, having this information available will also help to facilitate the delivery of East Cambridgeshire's housing strategy. It will enable a targeted intervention approach to improving housing; therefore allowing the council to concentrate their resources on housing in the poorest condition or with the greatest health impact.

1.1 Project aims

The main aim of this project was to provide data on key private sector housing indicators for East Cambridgeshire. Furthermore, East Cambridgeshire also requested estimates for several other housing-related elements. The main aims of this work were therefore to provide estimates of:

- The percentage of dwellings meeting each of the key indicators for East Cambridgeshire overall and broken down by tenure and then mapped by COA (private sector stock only)
- Information relating to LAHS reporting for the private sector stock - category 1 hazards and information on EPC ratings

This report looks firstly at the policy background and why such information is important for local authorities. Secondly, it provides a brief description of the overall stock modelling approach. Finally, this report provides the modelling results for East Cambridgeshire covering each of the main aims above.

⁴ 2011 is the latest available data. Prior to the 2014 models EHS 2009 data was used.

⁵ The OS data has been used to update a number of the model inputs – the main value of the OS data is the ability to determine the dwelling type with much greater confidence – see Appendix B for more information.

⁶ <http://www.legislation.gov.uk/ukpga/2004/34/contents>



2 Policy background

The detailed housing stock information provided in this report will facilitate the delivery of East Cambridgeshire's housing strategy and enable a targeted intervention approach to improving housing. This strategy needs to be set in the context of relevant government policy and legislative requirements. These policies either require reporting of housing-related data by local authorities, or the use of such data to assist in meeting policy requirements. The main policies and legislative requirements are summarised in the following sub-sections.

2.1 Housing Act 2004

The Housing Act 2004⁶ requires local housing authorities to review housing statistics in their district. The requirements of the Act are wide-ranging and also refer to other legislation which between them covers the following:

- Dwellings that fail to meet the minimum standard for housings (i.e. dwellings with HHSRS category 1 hazards)
- Houses in Multiple Occupation (HMOs)
- Selective licensing of other houses
- Demolition and slum clearance
- The need for provision of assistance with housing renewal
- The need to provide assistance with adaptation of dwellings for disabled persons

2.2 Key housing strategy policy areas and legislation

2.2.1 Private rented sector

In the report "Laying the Foundations: A Housing Strategy for England"⁷ Chapters 4 and 5 focus on the private rented sector and empty homes.

There has been significant growth in the private rented sector in recent years and new measures are being developed to deal with rogue landlords and to encourage local authorities to make full use of enforcement powers for tackling dangerous and poorly maintained dwellings. The report encourages approaches which work closely with landlords whilst still operating a robust enforcement regime (e.g. Landlord Forums and Panels across the country).

2.2.2 Health inequalities

The government's white paper "Choosing Health"⁸ states that the key to success in health inequalities will be effective local partnerships led by local government and the NHS working to a common purpose and reflecting local needs. Housing is a key determinant of health, and poor housing conditions continue to cause preventable deaths and contribute to health inequalities⁹. An example in this area is the work

⁷ Laying the Foundations: A Housing Strategy for England, CLG, 2011

⁸ Choosing Health: Making healthy choices easier, Department of Health, 2004

⁹ The health impacts of poor private sector housing, LACORS, 2010



carried out by Liverpool City Council in partnership with Liverpool Primary Care Trust – the “Healthy Homes Programme”. This has identified over 3,800 hazards and led to an estimated £4.8 million investment by landlords, delivering sustainable health improvements and enhancing community wellbeing.

2.2.3 Integrated care

It has been recognised by central government that to fully address the health needs of the population, services need to become more integrated and there needs to be better communication between different providers. Housing is a key aspect of this:

“Many people with mental and physical disabilities, complex needs, long-term conditions and terminal illness also need to access different health care, social care, housing and other services, such as education, and often simultaneously”¹⁰.

It is therefore essential that departments providing or regulating housing work with other council departments and health organisations to provide services that are integrated and take full account of the needs of the individual.

2.2.4 Public Health Outcomes Framework

The Public Health Outcomes Framework “Healthy lives, healthy people: Improving outcomes and supporting transparency”¹¹ sets out desired outcomes for public health and how they will be measured. Many of the measurements have links to housing, some of the more relevant being:

- Falls and injuries in over 65’s
- Fuel poverty
- Excess winter deaths

2.2.5 Joint Strategic Needs Assessment (JSNA) and Joint Health and Wellbeing Strategies

The JSNA and joint health and wellbeing strategy allow health and wellbeing boards to analyse the health needs of their local population and to decide how to make best use of collective resources to achieve the priorities that are formed from these. The Department of Health document “Joint Strategic Needs Assessment and joint health and wellbeing strategies explained - Commissioning for populations” says “This will ensure better integration between public health and services such as housing and education that have considerable impact on the wider determinants of health”¹².

2.2.6 Energy Act 2011

The Energy Act 2011 requires that from 2016 reasonable requests by tenants for energy efficiency improvements will not be able to be refused. Furthermore, from 2018 it will be unlawful for landlords to rent out properties that do not reach a minimum standard of energy efficiency (likely to be set at Energy

¹⁰ Integrated Care: Our Shared Commitment, Department of Health, 2013

¹¹ Healthy lives, healthy people: Improving outcomes and supporting transparency, Department of Health, 2013

¹² Joint Strategic Needs Assessment and joint health and wellbeing strategies explained: Commissioning for populations, Department of Health, 2011



Performance Certificate rating E¹³). While there will be various caveats to these powers, they will provide a new minimum standard for rented accommodation. Part of this current project for East Cambridgeshire includes provision of a private rented sector variable that should assist in identifying such dwellings.

2.2.7 Empty homes

Empty homes brought back into use will qualify for the New Homes Bonus where, for the following 6 years, the government will match fund the Council Tax on long term empty properties brought back into use. In addition, from 2012-15, £100million of capital funding from within the Affordable Homes Programme will be available to tackle problematic¹⁴ empty homes. Whilst the data provided by this project cannot necessarily assist with the actual identification of empty homes, the database provided would be the logical place for such information to be stored should it be gathered from other sources.

2.3 Other policy areas

The following policy areas, whilst not directly relating to environmental health services, will have an effect on demand and local authorities will need to be aware of the possible impact in their area.

2.3.1 Welfare Reform Act 2012

The key parts of this act for environmental health services are the sections relating to the under occupation of social housing, and the benefit cap. Whilst this will mainly affect tenants in the social rented sector it will undoubtedly have an impact on private sector services. Social tenants may find themselves being displaced into the private sector, increasing demand in this area, and the tenants of Registered Providers (RP's) and some private landlords may have greater trouble affording rent payments. If tenants are in arrears on their rental payments then authorities may be met with reluctance from landlords when requiring improvements to properties.

2.3.2 Localism Act 2011

The Localism Act allows social housing providers to offer fixed term, rather than secure lifetime, tenancies. As with the Welfare Reform Act, this has a greater direct impact on the social rented sector, however, there is some concern this may lead to greater turnover of tenancies meaning such that some traditional social tenants may find themselves in the private rented sector.

Both of these policy changes above may increase the number of vulnerable persons in private sector properties. If this occurs any properties in this sector in poor condition are likely to have a far greater negative impact on the health of those occupiers.

2.3.3 Potential increase in private rented sector properties

Policies such as the Build to Rent and the New Homes Bonus are aimed at increasing the supply of properties. As the private rented sector is already growing, it is reasonable to assume that many of the new properties being built will be rented to private tenants. Local authorities will need to be aware of the potential impact on the demand for their services and how their perception of their local area may have to change if large numbers of properties are built.

¹³ <https://www.gov.uk/getting-a-green-deal-information-for-householders-and-landlords>

¹⁴ Properties that are likely to remain empty without direct financial support from government.



2.4 Local Authority Housing Statistics (LAHS)¹⁵ and EPC ratings

The purpose of these statistics is twofold – firstly to provide central government with data with which to inform and monitor government strategies, policies and objectives as well as contributing to national statistics on housing, secondly, to the local authorities themselves to help manage their housing stock. Local authorities are required to complete an annual return which covers a wide range of housing-related issues. Of particular relevance to this current project is “Section F: Condition of dwelling stock” which, amongst other things, requests the following information:

- Total number of dwellings and number of private sector dwellings with category 1 HHSRS hazards and the estimated costs of mitigating these

Whilst the LAHS no longer requires reporting of average EPC ratings of the private sector stock and the proportion below a certain rating, this information remains pertinent due to the Energy Act 2011. Under this act new rules mean that from 2018 landlords must ensure that their properties meet a minimum energy efficiency standard. Subject to Parliamentary approval, this minimum standard has been set at band E by 1 April 2018^{16, 17}. Furthermore, from 1 April 2016, tenants in F and G rated dwellings may legally request an upgrade to the dwelling to a minimum of a band E.

Results relating to LAHS statistics and EPC ratings can be found in **Section 4.2**.

¹⁵ <https://www.gov.uk/government/publications/completing-local-authority-housing-statistics-2012-to-2013-guidance-notes>

¹⁶ <https://www.gov.uk/government/consultations/private-rented-sector-energy-efficiency-regulations-domestic>

¹⁷ Although landlords will still be able to rent out F and G rated properties after this date they will not be able to renew or sign a new contract.



3 Overview of the BRE Dwelling Level Housing Stock Modelling approach

3.1 Overview

This section provides a simplified overview of the BRE dwelling level housing stock modelling approach. More detail on the methodology is provided in **Appendix B**.

A stock modelling approach has been developed and used by BRE for many years and dwelling level models are used to estimate the likelihood of a particular dwelling meeting the criteria for each of the key indicators (and other outputs of interest). These outputs can then be mapped to provide the council with a geographical distribution of each of the key indicators which can then be used to target resources for improving the housing stock. The process itself is actually made up of a variety of data sources, calculations and models.

The models are principally informed by the Department for Communities and Local Government's (DCLG) English Housing Survey (EHS)¹⁸. The survey is not used to supply data for the database, but rather it allows the identification of patterns in the housing stock, so that this knowledge can be applied, in the form of mathematical algorithms, to impute key indicators and energy characteristics from other data available at the national level. The particular approach for East Cambridgeshire, however, makes significant use of the Experian UK Consumer Dynamics Database of dwelling and household indicators as inputs to the models. One example is the BRE SimpleCO₂ Model which is based on dwelling level inputs from Experian and expands on these using imputation techniques to provide sufficient information to calculate the likely energy efficiency of each dwelling in the stock. Some of the key housing indicators, such as HHSRS excess cold category 1 hazards and BRE's SimpleSAP¹⁹, can be directly inferred from this data.

The modeling process is complex, but in summary comprises a number of steps.

1. Identification of the archetype of each dwelling in the local authority area i.e. the age, tenure and type. This enables comparison with the archetypes identified by the EHS. This is mainly done using Experian data.
2. Construction of a better understanding of each dwelling - for example fuel type, wall type, floor area, levels of insulation etc. to allow an assessment of energy efficiency. Where the data to complete this does not exist, the models make predictions using the patterns and understanding from the EHS.
3. When details about the dwelling have been collated, an assessment of the energy efficiency of each property is carried out using a simplified SAP calculation relying on a reduced number of inputs. This predicts CO₂ emissions and the likely existence of a category 1 hazard for excess cold by using a SAP rating of 31.5 as a proxy as per the EHS.

¹⁸ The most recent survey used in the housing stock models is 2011.

¹⁹ A Simplified version of the SAP model that produces an output broadly comparable to SAP. The SimpleSAP model is distinct from both full SAP and RD SAP in that it uses a smaller, simplified set of inputs.



4. Calculation of the likelihood of a dwelling failing other standards with reference to the relationships identified from EHS - i.e. the combination of variables that are most strongly associated with failure of a particular standard.

Figure 1 shows a simplified flow diagram of the overall BRE housing stock modelling approach. The process is made up of a series of data sources and models which, combined with various imputation and regression techniques and the application of other formulae, make up the final database. The database is essentially the main output of the modelling and provides information on the key indicators and other data requirements (e.g. energy efficiency variables). More detailed information on the data sources and models is provided in **Appendix B**, but to summarise:

The data sources are:

EHS, Experian, Ordnance Survey (OS) MasterMap.

The Models are:

SimpleSAP, Fuel Poverty, HHSRS (all hazards, falls hazards and excess cold), Disrepair and Low Income Households.

The data sources and models are linked as shown in the flow diagram and the modelling process itself can be divided into “energy inputs” and “other inputs”, which are summarised as follows:


Energy inputs - are developed from Experian (e.g. connection to mains gas). The EHS data is used to impute (using cold deck imputation²⁰) and interpolate where there are gaps in the data. The “energy inputs” are then fed into the SimpleCO₂ Model to produce the “energy outputs” for the database plus information on excess cold for the HHSRS Model and information on energy costs for the Fuel Poverty Model.

Other inputs – are developed from Experian (e.g. property age, type and tenure), OS MasterMap and other local data sources. The EHS data is used to impute (using cold deck imputation²⁰) and interpolate where there are gaps in the data. The “other inputs” are then fed into the HHSRS, Disrepair, and Low Income Models (note that tenure data is fed directly into the database). Information from the EHS also feeds into the Fuel Poverty, HHSRS, Disrepair and Low Income Models.

²⁰ Cold deck imputation is a process of assigning values in accordance with their known proportions in the stock.



Figure 1: Simplified flow diagram of overall BRE housing stock modelling approach (N.B. the EHS data is only used to inform the mathematical algorithms of the model – it does not provide data)



- BRE housing stock modelling process
- Other data inputs
- Data used for imputation & interpolation
- Outputs
- Data
- Imputed (cold deck)
- Information



3.2 Breakdown of the housing stock by tenure - validation

Providing the results split by tenure is useful since it can have an effect on how resources and improvement policies are targeted. This report is particularly focussed on private sector stock which is made up of owner occupied and private rented dwellings. The remainder of the housing stock consists of social housing.

The total number of dwellings in East Cambridgeshire from the BRE database uses the tenure split derived from the purchased Experian tenure variable.

Since it is possible for private rented dwellings to become owner occupied and vice versa relatively easily, it is difficult to accurately predict the actual tenure split at any given point in time. A validation process was undertaken to compare the tenure split from the database to the 2011 Census figures²¹. The results of the validation exercise show that the differences between the tenure split from the database compared to the Census figures are relatively small (see **Figure 2**), suggesting that the database should provide a good overview of the housing stock in East Cambridgeshire. Furthermore, **Map 1** and **Map 2** show that the geographical distributions look very similar, again giving confidence that the database provides a good overview of East Cambridgeshire’s housing stock.


Figure 2: Tenure split – comparison of BRE Housing Stock Database outputs with 2011 Census figures for East Cambridgeshire




²¹ <http://www.ons.gov.uk/ons/datasets-and-tables/index.html>



Map 1: Distribution of estimated percentage of private rented dwellings in East Cambridgeshire – based on database



Map 2: Distribution of estimated percentage of private rented dwellings in East Cambridgeshire – based on 2011 Census Data (Neighbourhood Statistics)





4 Results from the BRE Dwelling Level Housing Stock Models and Database

As described in the previous section, the housing stock modelling process consists of a series of different stock models with the main output being the database. The results in this section have been obtained from interrogating the database at the level of the local authority as a whole to give a useful overview for East Cambridgeshire. Information at ward level, however, is provided in the maps, in **Section 4.2.4** and can also be obtained from the database which has been supplied as part of this project (see **Appendix C** for instructions). The database can be interrogated at local authority, ward, medium super output area (MSOA), lower super output area (LSOA), census output area (COA), postcode or dwelling level.

The first sub-section below provides a map of the wards in East Cambridgeshire. The results are then displayed in the following sub-sections:

- Key indicators:
 - East Cambridgeshire – regional and national comparisons
 - Key indicators by tenure for East Cambridgeshire
 - Key indicators mapped by COA for East Cambridgeshire private sector stock
 - Ward level results for the key indicators


- Information relating to LAHS reporting and EPC ratings:
 - Category 1 hazards
 - EPC ratings



4.1 Overview of East Cambridgeshire

Map 3 below shows the 19 wards in East Cambridgeshire. The data in the report is separated into wards and then further divided into Census Output Areas (COAs). These typically comprise around 125 households and usually include whole postcodes, which have populations that are largely similar. Where the COAs are smaller in size on the map this typically represents a more densely populated area since each COA represents a similar number of dwellings.

Map 3: The wards in East Cambridgeshire





4.2 Key indicators

4.2.1 East Cambridgeshire – regional and national comparisons

Table 2 and **Figure 3** show the results for each of the key indicators in East Cambridgeshire compared to the East of England region and England overall (EHS 2011) and split into all stock and private sector stock. **Figure 4** shows the results of the SimpleSAP ratings.

For all stock, East Cambridgeshire performs better than the EHS average for the following indicators: disrepair (2% compared to 5%) and low income households (24% compared to 33%). East Cambridgeshire performs significantly worse for the excess cold indicator (13% compared to 6%).

For the private sector stock, East Cambridgeshire again performs better than the EHS average for disrepair (2% compared to 6%) and low income households (17% compared to 24%). Again, East Cambridgeshire performs significantly worse for the excess cold indicator (13% compared to 7%) suggesting that the problems with excess cold lie mainly in the private sector stock.

A similar picture can be seen when comparing to the regional figures for EHS East of England.

The average SimpleSAP ratings in East Cambridgeshire (**Figure 4**) are lower than those for both the England and regional averages. This is the case for both all stock and private sector stock. It is not unusual for more rural such as areas to perform worse than the country as a whole due to a lower number of flats, which are more energy efficient due to reduced heat loss areas, and due to the lower likelihood of being on gas, a more efficient heating fuel.

Table 2: Estimates of the numbers and percentage of dwellings meeting the key indicator criteria assessed by the Housing Stock Models and Database for all stock and private sector stock – East Cambridgeshire compared to East of England and England (EHS 2011)

Indicator	All stock				Private sector stock			
	East Cambridgeshire (no.)	East Cambridgeshire (%)	2011 EHS Regional (%)	2011 EHS England (%)	East Cambridgeshire (no.)	East Cambridgeshire (%)	2011 EHS Regional (%)	2011 EHS England (%)
No. of dwellings	35,539	-		-	30,210	-		-
HHSRS category 1 hazards	5,819	16%	17%	15%	5,169	17%	19%	17%
All hazards	5,819	16%	17%	15%	5,169	17%	19%	17%
Excess cold	4,518	13%	7%	6%	4,053	13%	8%	7%
Fall hazards	3,159	9%	10%	9%	2,911	10%	11%	10%
Disrepair	704	2%	3%	5%	674	2%	3%	6%
Fuel poverty (10%)	5,041	14%	14%	15%	4,527	15%	15%	15%
Fuel poverty (Low Income High Costs)	3,951	11%	10%	11%	3,439	11%	11%	11%
Low income households	8,643	24%	28%	33%	5,034	17%	20%	24%

N.B. the information on hazards refers to the number of dwellings with a hazard of the stated type. Because of this there is likely to be some overlap – for example, some dwellings are likely to have excess cold and fall hazards but this dwelling would only be represented once under ‘all hazards’. The number of dwellings under ‘all hazards’ can therefore be less than the sum of the excess cold plus fall hazards.



Figure 3: Estimates of the percentage of dwellings meeting the key indicator criteria assessed by the Housing Stock Models and Database for all stock and private sector stock – East Cambridgeshire compared to East of England and England (EHS 2011)







Figure 4: Average SimpleSAP ratings for all stock and private sector stock – East Cambridgeshire compared to East of England and England (EHS 2011)



4.2.2 Key indicators by tenure – East Cambridgeshire

The private sector stock can be further split by tenure – owner occupied and private rented - with the difference between total private sector stock and total housing stock being the social housing stock. **Table 3** and **Figure 5** below show the results for each of the key indicators split by tenure and **Figure 6** shows the SimpleSAP ratings by tenure.

The social stock is generally better than the private sector stock for the indicators relating to hazards, disrepair and energy efficiency (SimpleSAP). Social stock tends to be more thermally efficient than the private stock partly due to the prevalence of flats, and partly due to being better insulated owing to the requirements placed on social housing providers, for example through the Decent Homes Programme. As would be expected, the social stock is generally worse than the private sector stock for the low income households indicator. For fuel poverty; however, the private rented stock shows the highest levels. This implies that in the social stock the lower levels of income are being balanced out by the superior energy performance of the stock.

The social data should be treated with some caution as the social rented stock, particularly when largely comprising stock owned by a single landlord, is more difficult to model than the private sector. This is because the decisions of an individual property owner usually only affect a single dwelling out of the thousands of private sector stock whereas the policies and decisions of a single landlord can have a very great effect on a large proportion of the social stock. The social rented results are therefore best considered as a benchmark which takes account of the age, type, size and tenure against which the landlord's own data could be compared.

Focussing on the tenures within the private sector stock, the private rented stock is generally worse than the owner occupied stock for the indicators relating to hazards and energy efficiency (SimpleSAP). The private rented stock is considerably worse than the owner occupied stock for the indicators of fuel poverty and low income households. Whilst the levels of excess cold are high across all tenures, the private rented stock has by far the highest levels at 17%.



Table 3: Estimates of the numbers and percentage of dwellings meeting the key indicator criteria assessed by the Housing Stock Models and Database by tenure for East Cambridgeshire

Indicator	Private sector stock				Social stock		
	Owner occupied		Private rented		No.	%	
	No.	%	No.	%			
No. of dwellings	25,243	-	4,967	-	5,329	-	
HHSRS category 1 hazards	All hazards	4,080	16%	1,089	22%	650	12%
	Excess cold	3,211	13%	842	17%	465	9%
	Fall hazards	2,264	9%	647	13%	248	5%
Disrepair	496	2%	178	4%	30	1%	
Fuel poverty (10%)	3,521	14%	1,006	20%	514	10%	
Fuel poverty (Low Income High Costs)	2,328	9%	1,111	22%	512	10%	
Low income households	3,510	14%	1,524	31%	3,609	68%	

N.B. the information on hazards refers to the number of dwellings with a hazard of the stated type. Because of this there is likely to be some overlap – for example, some dwellings are likely to have excess cold and fall hazards but this dwelling would only be represented once under ‘all hazards’. The number of dwellings under ‘all hazards’ can therefore be less than the sum of the excess cold plus fall hazards.

Figure 5: Estimates of the percentage of dwellings meeting the key indicator criteria assessed by the Housing Stock Models and Database by tenure for East Cambridgeshire







Figure 6: Average SimpleSAP ratings by tenure for East Cambridgeshire



4.2.3 Key indicators mapped by Census Output Area (COA) – East Cambridgeshire private sector stock

Some of the key indicators are also provided in map form below along with a brief description of each indicator²², thus enabling quick observation of the geographical distribution of properties of interest. The maps show the percentages of private sector dwellings in each Census Output Area (COA) that are estimated to have each of the key indicators.

The ranges shown in the map keys are defined based on the Jenks' Natural Breaks algorithm of the COA statistics²³. The outputs in the lightest and darkest colours on the maps show the extreme ends of the range, highlighting the best and the worst areas.

Maps at COA level are provided for the following key indicators in **Map 4** to **Map 12** below, and maps focussing in on the more urban areas of Ely, Soham and Burwell are provided in **Appendix D** :

- The presence of a category 1 HHSRS hazard
- The presence of a category 1 hazard for excess cold
- Levels of fuel poverty
- Dwellings occupied by low income households
- Dwellings with a category 1 excess cold hazard that are occupied by a low income household
- The average SimpleSAP²⁴ rating

²² See Appendix A for full definitions.

²³ The natural breaks classification method is a data clustering method determining the best arrangement of values into different classes. It is achieved through minimising each class's average deviation from the class mean while maximising each class's deviation from the means of the other groups. The method seeks to reduce the variance within classes and maximise variance between classes thus ensuring groups are distinctive.



These maps are extremely useful in showing the geographical distribution for single key indicators. Maps can also be produced for a combination of indicators, such as dwellings with an excess cold hazard which are also occupied by low income households, as shown in **Map 11**.

The maps are produced at COA level, which is typically made up of 125 households, usually including whole postcodes and having similar sized populations. Using the first map below (**Map 4**) as an example, it can be seen that each ward is split into several COAs and, in this instance, there are 11 COAs that have 57 - 82% of private sector dwellings estimated to have the presence of a category 1 hazard.

The maps also highlight the differences between areas, showing that the results for some areas are much worse than for others and these are the specific areas which might warrant attention. The maps also show that even within wards there can be large differences between the results at COA level.

4.2.3.1 HHSRS

The Housing Health and Safety Rating System (HHSRS) is a risk-based evaluation tool to help local authorities identify and protect against potential risks and hazards to health and safety from any deficiencies identified in dwellings. It was introduced under the Housing Act 2004⁶ and applies to residential properties in England and Wales.

The HHSRS assesses 29 categories of housing hazard. Each hazard has a weighting which will help determine whether the property is rated as being category 1 (serious) or category 2 (other)²⁵.

The HHSRS map (**Map 4**) shows that there are concentrations of high levels of hazards in Dullingham Villages, The Swaffhams and Downham Villages wards. Looking at the zoomed in map (**Map D. 1**) it is clear that there are fewer hazards in the urban areas and that most of the hazards are concentrated in the more rural areas. It is reasonable to expect that areas with greater numbers of older properties will record higher levels of excess cold and falls hazards.

There are relatively high levels of excess cold hazards in East Cambridgeshire, with the highest concentrations being in Dullingham Villages, The Swaffhams and Stretham, – see **Map 5**. Again, looking at the zoomed in map (**Map D. 2**), it is clear that the urban areas have comparatively less excess cold hazards. As previously mentioned in Section 4.2.2, the private rented stock has a significantly higher proportion of dwellings with an excess cold hazard (17%), therefore **Map 6** shows the distribution of excess cold hazards in the *private rented* stock only. There are several COAs with higher levels of excess cold hazards spread across the district – for example in Sutton, The Swaffhams, to the west of Soham south and the central COA in Ely East.

Map 7 shows that the distribution of falls hazards in the district shows a broadly similar pattern to the excess cold hazards. However, unlike the excess cold hazards, the zoomed in map (**Map D. 3**) shows that there are some high concentrations of falls hazards in the more urban areas, particularly in the central and southern parts of Ely and in the southern areas of Soham. This is likely to be due to the age of the buildings in the urban centres which may be less likely to suffer from excess cold since they are more likely to be on the gas network and be attached to other buildings, compared to the generally higher

²⁴ Important note: Whilst it is possible to provide “SimpleSAP” ratings from the “SimpleCO₂” software, under no circumstances must these be referred to as “SAP” as the input data is insufficient to produce an estimate of SAP or even RdSAP for an individual dwelling that meets the standards required by these methodologies.


²⁵ Housing Health and Safety Rating System Operating Guidance, ODPM, 2006



levels of detached houses in the more rural areas which are more likely to suffer from higher levels of excess cold.




Map 4: Percentage of private sector dwellings in East Cambridgeshire with the presence of a HHSRS category 1 hazard






Map 5: Percentage of private sector dwellings in East Cambridgeshire with the presence of a HHSRS category 1 hazard for excess cold






Map 6: Percentage of *private rented* dwellings in East Cambridgeshire with the presence of a HHSRS category 1 hazard for excess cold





Map 7: Percentage of private sector dwellings in East Cambridgeshire with the presence of a HHSRS category 1 hazard for falls






4.2.3.2 Fuel poverty

This report covers both the original definition and the new definition of fuel poverty which is currently being rolled out by government.

The original definition states that a household is said to be in fuel poverty if it spends more than 10% of its income on fuel to maintain an adequate level of warmth (defined as 21°C for the main living area, and 18°C for other occupied rooms in the 2012 Hills Fuel Poverty Review)²⁶. For the purposes of this report this is termed “fuel poverty (10%)”.

Under the new definition, a household is said to be in fuel poverty if they have required fuel costs that are above average (the national median level) and were they to spend that amount they would be left with a residual income below the official poverty line (see the shaded area in **Figure 7** below). For the purposes of this report this is termed “fuel poverty (Low Income High Costs)”.

Figure 7: A representation of the Low Income High Costs definition of fuel poverty²⁶



A report produced by DECC²⁷ states that under the 10% fuel poverty indicator, increasing household income potentially removes households from fuel poverty as they will be spending a smaller proportion of their income on fuel. Reducing income has the opposite effect potentially pushing households into fuel poverty. Decreasing fuel prices and/or improvements made to the energy efficiency of the home can remove households from fuel poverty, while rising prices will have the opposite effect.

²⁶ Hills, J. Getting the measure of fuel poverty - Final Report of the Fuel Poverty Review, London: LSE., 2012

²⁷ Fuel Poverty Report – Updated August 2013, Department of Energy and Climate Change, 2013



As the low income high cost indicator is a relative measure, it provides a much steadier trend in the number of fuel poor households over time than the 10% indicator. Whereas an increase in income is likely to reduce the extent of fuel poverty under the 10% definition, under the low income high cost indicator, a change in income will only have an impact on fuel poverty if households with low incomes and high costs see relatively larger income changes (increases or decreases) than the overall average change in income.

The 10% indicator tends to be very responsive to changes in prices, such that these usually dominate the indicator, outweighing other factors such as income and energy efficiency.

Map 8 shows that, based on the fuel poverty 10% definition, the highest concentrations are in the Dullingham Villages, The Swaffhams and Cheveley wards, but there are pockets of high levels spread throughout the district. Looking at the zoomed in map (**Map D. 4**) there are a few COAs with higher levels of fuel poverty in the southern parts of Ely.

For comparison, **Map 9** shows the results based on the fuel poverty Low Income High Costs definition, whilst the overall pattern is similar the highest concentrations are in the Dullingham Villages, The Swaffhams and Stretham wards.

When comparing the two maps covering the private sector stock the southern wards show relatively high levels of fuel poverty under the 10% definition, but lower under levels the Low Income High Costs definition. This suggests that occupiers of properties in these areas may not be on low incomes and have larger properties that cost more to heat.

4.2.3.2.1 What type of property is in fuel poverty under the Low Income High Costs Definition?


The Hills Fuel Poverty Review²⁶ provides useful figures that show the likely composition of a fuel poor household under this definition:

- 76% of fuel poor households have an EPC rating of E to G
- 20% of fuel poor households are rural
- 82% of fuel poor households live in houses as opposed to flats or bungalows
- A third of fuel poor households are found in a fifth of the most deprived households
- Fuel poverty is spread fairly evenly between regions, including London
- 34% of fuel poor households contain a person with a long term illness or disability
- 10% of fuel poor households contain a person over the age of 75
- 20% of fuel poor households contain a person under the age of 5

These figures should be considered when analysing the map showing the percentage of private sector dwellings in East Cambridgeshire occupied by households in fuel poverty under the Low Income High Costs definition.




Map 8: Percentage of private sector dwellings in East Cambridgeshire occupied by households in fuel poverty - 10% definition





Map 9: Percentage of private sector dwellings in East Cambridgeshire occupied by households in fuel poverty – Low Income High Costs definition





4.2.3.3 Low income households

A low income household is defined as a household in receipt of:

- Income support
- Housing benefit
- Attendance allowance
- Disability living allowance
- Industrial injuries disablement benefit
- War disablement pension
- Pension credit
- Child tax credit
- Working credit

For child tax credit and working tax credit, the household is only considered a low income household if it has a relevant income of less than £15,050.


The definition also includes households in receipt of Council Tax benefit and income based Job Seekers Allowance.

Map 10 shows that there are concentrations of low income households throughout East Cambridgeshire – some of the higher levels are seen in the wards of Littleport East, Ely North, Ely West and Soham South. Looking in more detail at the urban areas (**Map D. 6**), shows that many of the highest concentrations of fuel poverty are located in the Ely and, to a lesser extent, the Soham areas.

Map 11 provides an additional layer of information, with the data for low income households being combined with HHSRS excess cold data. This provides a vital picture of where vulnerable people are likely to be living in poor housing. The map indicates that the distribution shows higher levels being seen in the more rural areas – for example, to the east of Littleport East and the west of Haddenham. There are fewer dwellings with an excess cold hazard and also occupied by a low income household in the urban areas (see **Map D. 7**).




Map 10: Percentage of private sector dwellings in East Cambridgeshire occupied by low income households





Map 11: Percentage of private sector dwellings in East Cambridgeshire with both the presence of a HHSRS category 1 hazard for excess cold and occupied by low income households






4.2.3.4 SimpleSAP

The average SimpleSAP map (**Map 12**) shows that certain areas have lower average SimpleSAP ratings and these tend to be located in the less built up areas. This is backed up by the zoom in map (which shows the urban areas have generally higher SimpleSAP ratings. Areas which include larger, older homes where little work has been done by the occupiers to improve energy performance can result in lower average SimpleSAP ratings. The size of the home itself is not a factor in SimpleSAP, but these homes are more likely to be semi-detached or detached, and therefore have larger heat loss areas.



Map 12: Average SimpleSAP ratings per dwelling in East Cambridgeshire private sector stock





4.2.4 Ward level results for the key indicators – total stock and private sector stock

The previous maps have provided a visual representation of the key indicators at Census Output Area (COA) level. The following tables provide the complete set of figures at ward level for the key indicators; firstly, for the total stock (**Table 4**) and secondly, for the private sector stock (**Table 5**). This allows a direct comparison between the wards in East Cambridgeshire.

Table 4: Total stock – number and percentage of dwellings failing each of the key indicators, and average SimpleSAP ratings by ward

Ward	Dwellings	HHSRS category 1 hazards			Disrepair	Fuel poverty		Low income households	Average SimpleSAP
		All hazards	Excess cold	Fall hazards		10%	LIHC		
Bottisham	1,579	288 (18%)	229 (15%)	154 (10%)	29 (2%)	269 (17%)	199 (13%)	375 (24%)	52
Burwell	2,686	276 (10%)	175 (7%)	220 (8%)	41 (2%)	274 (10%)	195 (7%)	548 (20%)	57
Cheveley	1,823	435 (24%)	407 (22%)	167 (9%)	45 (2%)	386 (21%)	247 (14%)	335 (18%)	46
Downham Villages	1,802	460 (26%)	436 (24%)	177 (10%)	41 (2%)	354 (20%)	267 (15%)	388 (22%)	46
Dullingham Villages	928	342 (37%)	342 (37%)	99 (11%)	20 (2%)	273 (29%)	186 (20%)	217 (23%)	38
Ely East	2,009	439 (22%)	316 (16%)	260 (13%)	64 (3%)	376 (19%)	289 (14%)	580 (29%)	51
Ely North	3,052	248 (8%)	89 (3%)	209 (7%)	38 (1%)	230 (8%)	212 (7%)	809 (27%)	61
Ely South	1,780	127 (7%)	71 (4%)	104 (6%)	12 (1%)	133 (7%)	114 (6%)	375 (21%)	58
Ely West	1,999	201 (10%)	68 (3%)	176 (9%)	44 (2%)	224 (11%)	177 (9%)	571 (29%)	58
Fordham Villages	1,631	334 (20%)	274 (17%)	169 (10%)	43 (3%)	276 (17%)	208 (13%)	387 (24%)	50
Haddenham	2,488	500 (20%)	477 (19%)	188 (8%)	44 (2%)	413 (17%)	297 (12%)	462 (19%)	48
Isleham	968	118 (12%)	70 (7%)	93 (10%)	19 (2%)	107 (11%)	89 (9%)	209 (22%)	54
Littleport East	2,350	345 (15%)	234 (10%)	237 (10%)	60 (3%)	299 (13%)	271 (12%)	623 (27%)	54
Littleport West	1,376	184 (13%)	97 (7%)	127 (9%)	25 (2%)	152 (11%)	153 (11%)	544 (40%)	57
Soham North	2,115	210 (10%)	126 (6%)	137 (6%)	23 (1%)	179 (8%)	161 (8%)	516 (24%)	60
Soham South	2,848	396 (14%)	230 (8%)	289 (10%)	81 (3%)	328 (12%)	302 (11%)	776 (27%)	55
Stretham	1,586	416 (26%)	414 (26%)	132 (8%)	33 (2%)	331 (21%)	256 (16%)	336 (21%)	43
Sutton	1,664	207 (12%)	177 (11%)	141 (8%)	26 (2%)	199 (12%)	159 (10%)	380 (23%)	53
The Swaffhams	855	293 (34%)	286 (33%)	80 (9%)	16 (2%)	238 (28%)	169 (20%)	212 (25%)	39

N.B. the information on hazards refers to the number of dwellings with a hazard of the stated type. Because of this there is likely to be some overlap – for example, some dwellings are likely to have excess cold and fall hazards but this dwelling would only be represented once under ‘all hazards’. The number of dwellings under ‘all hazards’ can therefore be less than the sum of the excess cold plus fall hazards.



Table 5: Private sector stock – number and percentage of dwellings for each of the key indicators, and average SimpleSAP ratings by ward

Ward	Dwellings	HHSRS category 1 hazards			Disrepair	Fuel poverty		Low income households	Average SimpleSAP
		All hazards	Excess cold	Fall hazards		10%	LIHC		
Bottisham	1,343	259 (19%)	206 (15%)	144 (11%)	29 (2%)	243 (18%)	173 (13%)	218 (16%)	51
Burwell	2,364	251 (11%)	162 (7%)	205 (9%)	40 (2%)	250 (11%)	170 (7%)	337 (14%)	57
Cheveley	1,625	395 (24%)	367 (23%)	158 (10%)	42 (3%)	352 (22%)	217 (13%)	210 (13%)	46
Downham Villages	1,564	419 (27%)	402 (26%)	164 (10%)	40 (3%)	323 (21%)	240 (15%)	230 (15%)	45
Dullingham Villages	765	297 (39%)	297 (39%)	90 (12%)	20 (3%)	244 (32%)	158 (21%)	114 (15%)	37
Ely East	1,701	401 (24%)	288 (17%)	245 (14%)	61 (4%)	343 (20%)	263 (15%)	368 (22%)	50
Ely North	2,576	219 (9%)	83 (3%)	190 (7%)	36 (1%)	207 (8%)	183 (7%)	480 (19%)	60
Ely South	1,559	115 (7%)	65 (4%)	98 (6%)	12 (1%)	123 (8%)	102 (7%)	239 (15%)	58
Ely West	1,614	177 (11%)	64 (4%)	159 (10%)	41 (3%)	196 (12%)	152 (9%)	303 (19%)	57
Fordham Villages	1,371	305 (22%)	260 (19%)	156 (11%)	42 (3%)	252 (18%)	183 (13%)	213 (16%)	49
Haddenham	2,243	453 (20%)	433 (19%)	177 (8%)	43 (2%)	382 (17%)	270 (12%)	308 (14%)	48
Isleham	849	104 (12%)	61 (7%)	87 (10%)	18 (2%)	97 (11%)	78 (9%)	129 (15%)	54
Littleport East	1,998	294 (15%)	197 (10%)	218 (11%)	58 (3%)	263 (13%)	234 (12%)	385 (19%)	54
Littleport West	954	143 (15%)	79 (8%)	103 (11%)	21 (2%)	114 (12%)	113 (12%)	222 (23%)	56
Soham North	1,797	180 (10%)	104 (6%)	126 (7%)	22 (1%)	157 (9%)	135 (8%)	306 (17%)	60
Soham South	2,358	358 (15%)	215 (9%)	267 (11%)	79 (3%)	295 (13%)	266 (11%)	435 (18%)	54
Stretham	1,364	369 (27%)	369 (27%)	121 (9%)	31 (2%)	299 (22%)	222 (16%)	193 (14%)	42
Sutton	1,468	182 (12%)	159 (11%)	132 (9%)	25 (2%)	181 (12%)	141 (10%)	238 (16%)	53
The Swaffhams	697	248 (36%)	242 (35%)	71 (10%)	14 (2%)	206 (30%)	139 (20%)	106 (15%)	39

N.B. the information on hazards refers to the number of dwellings with a hazard of the stated type. Because of this there is likely to be some overlap – for example, some dwellings are likely to have excess cold and fall hazards but this dwelling would only be represented once under ‘all hazards’. The number of dwellings under ‘all hazards’ can therefore be less than the sum of the excess cold plus fall hazards.



4.3 Information relating to LAHS reporting and EPC ratings

4.3.1 Cost of mitigating category 1 hazards in the East Cambridgeshire private sector stock

Table 6 shows the total number of dwellings with HHSRS category 1 hazards in East Cambridgeshire's private sector stock, the average cost of mitigating hazards per dwelling and the total cost for mitigating all hazards within those dwellings. The costs are based on the average cost of mitigating category 1 hazards for East of England using EHS 2011 data²⁸. The EHS costs are determined following a surveyor's assessment of the hazard. For each hazard the surveyor is given a range of common treatments that they can specify in order to treat the hazard. Where quantities are required the surveyor may specify them. The treatment recommended by the surveyor is then costed using a standard set of prices.

Table 6: Total number of dwellings with category 1 hazards in private sector stock and cost of mitigation

HHSRS cat 1 hazards	Total no. in the authority	Average cost per dwelling (£)	Total cost (£)
	5,169	3,548	18,340,613

²⁸ Note that these costs are estimated based on standardised cost assumptions intended for comparison purposes. If available, local data on costs – such as grant or loan aided works – could be used; however, this type of data is usually biased. The estimates here are therefore considered as a useful starting point.



4.3.2 EPC ratings in the East Cambridgeshire private sector stock

Figure 8 below shows the bands A – G and corresponding SAP ratings in brackets. The columns show the number and percentage of East Cambridgeshire’s private sector stock falling into each of the EPC ratings bands.

The estimated average SimpleSAP for the private sector stock in East Cambridgeshire is 52 which corresponds to an EPC rating of E. The number of private sector dwellings with an EPC rating below band E is estimated to be 5,843 (19.3%).

Figure 8: Number and percentage of East Cambridgeshire’s *private sector stock* falling into each of the EPC ratings bands (based on SimpleSAP)

	Count	Percent
(92-100) A	0	0.0%
(81-91) B	53	0.2%
(69-80) C	4,358	14.4%
(55-68) D	11,989	39.7%
(39-54) E	7,967	26.4%
(21-38) F	4,083	13.5%
(1-20) G	1,760	5.8%

Under the Energy Act 2011, new rules mean that from 2018 landlords must ensure that their properties meet a minimum energy efficiency standard. Subject to Parliamentary approval, this minimum standard has been set at band E by 1 April 2018^{29, 30}. **Map 13** shows the distribution of dwellings with an F or G EPC rating in the private rented stock. There is no particular pattern to the distribution showing that there are F & G rated private rented properties throughout the local authority area.

²⁹ <https://www.gov.uk/government/consultations/private-rented-sector-energy-efficiency-regulations-domestic>

³⁰ Although landlords will still be able to rent out F and G rated properties after this date they will not be able to renew or sign a new contract.




Figure 9 below shows the breakdown of SimpleSAP results into the A – G bands for the private rented stock only. The number of private rented dwellings in East Cambridgeshire with a rating below band E (i.e. bands F and G), is estimated to be 1,205 (24.3%).

Figure 9: Number and percentage of East Cambridgeshire’s *private rented stock* falling into each of the EPC ratings bands (based on SimpleSAP)

	Count	Percent
(92-100) A	0	0.0%
(81-91) B	24	0.5%
(69-80) C	776	15.6%
(55-68) D	1,711	34.4%
(39-54) E	1,251	25.2%
(21-38) F	816	16.4%
(1-20) G	389	7.8%

Map 13: Distribution of dwellings with F or G EPC ratings in the private rented stock





5 Conclusion and recommendations

5.1 Conclusion

East Cambridgeshire District Council commissioned BRE to undertake a series of modelling exercises on their housing stock. This report describes the modelling work and provides details of the results obtained from the dwelling level model and database. The database is also provided to the council to enable them to obtain specific information whenever required.

The stock models and database provide the council with dwelling level information, focussing on private sector housing, for the following:

- The percentage of dwellings meeting each of the key indicators for East Cambridgeshire overall and broken down by tenure and then mapped by COA (private sector stock only)
- Information relating to LAHS reporting for the private sector stock - category 1 hazards and HMOs as well as information on EPC ratings

Some of the key findings of this report are as follows:

- The levels of excess cold hazards are particularly high in East Cambridgeshire.
- The private rented sector is considerably worse than other tenures for HHSRS category 1 hazards and fuel poverty.
- 24.2% of dwellings in the private rented sector are estimated to have an EPC below band E. Under proposed legislation these properties would not be eligible to be rented out after 2018.

Such information will facilitate the decision making process for targeting resources to improve the condition of housing and to prevent ill health resulting from poor housing conditions. Furthermore, the results of this project provide East Cambridgeshire with information which will assist in housing policy and strategy development whether these are inspired locally, arise from obligations under the Housing Act 2004 or as responses to government initiatives such as DCLG's Housing Strategy Policy, Green Deal and ECO.

5.2 Recommendations

Given the importance of housing to the local population it is important for the local authority to develop the necessary strategies to tackle the issues identified in this report. The report shows the scale of the problems relating to housing in East Cambridgeshire. To make any meaningful impact it will be necessary for different departments within the local authority to work together as well as reaching out to external organisations. This is most likely to include environmental health and public health departments in the local authority along with health and community groups operating in the local authority area.

Proactive strategies are often the most productive at identifying vulnerable people living in poor housing. Joint working is key to this, using the knowledge and resources that are found in different departments and organisations.



The current database could be enhanced to include the addition of various other sources of data (if they are available to the council). If such data were available BRE are able³¹ to integrate these local data sources into the current database.

Examples of such data are:

- **Energy Performance Certificate (EPC) data**

EPCs contain data on key dwelling energy characteristics (e.g. energy demand, excess cold, SimpleSAP) and where these are available they can be used in preference to the modelled data (it should be noted that to comply with bulk EPC data licencing requirements the EPC data is only used to inform the energy efficiency aspects of the model).

- **Local Land and Property Gazetteer (LLPG) data**

The Unique Property Reference Number (UPRN) from the LLPG can be used to uniquely identify all properties, while the address details from the LLPG can be used to merge the BRE models and EPC data using address matching.

- **Households on benefits**

Data regarding any households in receipt of either Council Tax Support or Housing Allowance could be used to enhance the low income model, making the targeting of individual low income households more accurate.

- **Local repair schemes**

Data from any local repair schemes, including the use of repair grants, could be used to enhance the Disrepair Model.

- **Local energy improvement schemes**

Any local schemes to improve the energy efficiency of dwellings, including national schemes for which local data has been made available to East Cambridgeshire, could be used to further enhance the energy models (SimpleSAP, excess cold, fuel poverty).

Furthermore, East Cambridgeshire District Council has also commissioned an analysis of the condition of the housing stock and its health impact, through a Health Impact Assessment. The results of this are provided in a separate report which provides a cost benefit analysis of mitigating Housing Health and Safety hazards within the stock.

Further assistance can be provided in the form of a Healthy Homes Advisory Service. This involves assisting the local authority in using the data from stock modelling and the health impact assessment to proactively assist vulnerable residents living in the poorest quality housing in the local authority area. The toolkit will allow East Cambridgeshire to target the poorest quality housing and maximise the joint working opportunities with health and community groups in the area.

³¹ Dependent on a successful assessment of the available data.



Appendix A Definitions of the key indicators

1. House condition indicators

a. The presence of a category 1 hazard under the Housing Health and Safety Rating System (HHSRS) – reflecting both condition and thermal efficiency

Homes posing a category 1 hazard under the HHSRS – the system includes 29 hazards in the home categorised into category 1 (serious) or category 2 (other) based on a weighted evaluation tool. Note that this includes the hazard of excess cold which is also included as one of the energy efficiency indicators.

The 29 hazards are:

1 Damp and mould growth	16 Food safety
2 Excess cold	17 Personal hygiene, Sanitation and Drainage
3 Excess heat	18 Water supply
4 Asbestos	19 Falls associated with baths etc.
5 Biocides	20 Falling on level surfaces etc.
6 Carbon Monoxide and fuel combustion products	21 Falling on stairs etc.
7 Lead	22 Falling between levels
8 Radiation	23 Electrical hazards
9 Uncombusted fuel gas	24 Fire
10 Volatile Organic Compounds	25 Flames, hot surfaces etc.
11 Crowding and space	26 Collision and entrapment
12 Entry by intruders	27 Explosions
13 Lighting	28 Position and operability of amenities etc.
14 Noise	29 Structural collapse and falling elements
15 Domestic hygiene, Pests and Refuse	

b. The presence of a category 1 hazard for falls (includes “falls associated with baths”, “falling on the level” and “falling on stairs”)

The HHSRS Falls Model includes the 3 different falls hazards where the vulnerable person is over 60 as listed above.

c. Dwellings in disrepair (based on the former Decent Homes Standard criteria for Disrepair)

The previous Decent Homes Standard states that a dwelling fails this criterion if it is not found to be in a reasonable state of repair. This is assessed by looking at the age of the dwelling and the condition of a range of building components including walls, roofs, windows, doors, electrics and heating systems).



2. Energy efficiency indicators:

a. The presence of a category 1 hazard for excess cold (using SAP ratings as a proxy measure in the same manner as the English House Condition Survey)

This hazard looks at households where there is a threat to health arising from sub-optimal indoor temperatures. The HHSRS assessment is based on the most low income group for this hazard – persons aged 65 years or over (note that the assessment requires the hazard to be present and potentially affect a person in the low income age group should they occupy that dwelling. The assessment does not take account of the age of the person actually occupying that dwelling at that particular point in time).

The English Housing Survey (EHS) does not measure the actual temperatures achieved in each dwelling and therefore the presence of this hazard is measured by using the SAP rating as a proxy. Dwellings with a SAP rating of less than 31.5 (SAP 2005 methodology) are considered to be suffering from a category 1 excess cold hazard.

b. An estimate of the SAP rating which, to emphasise its origin from a reduced set of input variables, is referred to as “SimpleSAP”

The Standard Assessment Procedure (SAP) is the UK Government’s standard methodology for home energy cost ratings. SAP ratings allow comparisons of energy efficiency to be made, and can show the likely improvements to a dwelling in terms of energy use. The Building Regulations require a SAP assessment to be carried out for all new dwellings and conversions. Local authorities, housing associations, and other landlords also use SAP ratings to estimate the energy efficiency of existing housing. The version on which the Average SAP rating model is based is SAP 2005.

The SAP ratings give a measure of the annual unit energy cost of space and water heating for the dwelling under a standard regime, assuming specific heating patterns and room temperatures. The fuel prices used are averaged over the previous 3 years across all regions in the UK. The SAP takes into account a range of factors that contribute to energy efficiency, which include:

- Thermal insulation of the building fabric
- The shape and exposed surfaces of the dwelling
- Efficiency and control of the heating system
- The fuel used for space and water heating
- Ventilation and solar gain characteristics of the dwelling

3. Household vulnerability indicators:

a. Fuel poverty - 10% definition

This definition states that a household is said to be in fuel poverty if it spends more than 10% of its income on fuel to maintain an adequate level of warmth (usually defined as 21°C for the main living area, and 18°C for other occupied rooms). This broad definition of fuel costs also includes modelled spending on water heating, lights, appliances and cooking.

The fuel poverty ratio is defined as:

$$\text{Fuel poverty ratio} = \frac{\text{Fuel costs (usage * price)}}{\text{Full income}}$$



If this ratio is greater than 0.1 then the household is in fuel poverty.

The definition of full income is the official headline figure and in addition to the basic income measure, it includes income related directly to housing (i.e. Housing Benefit, Income Support for Mortgage Interest (ISMI), Mortgage Payment Protection Insurance (MPPI), Council Tax Benefit (CTB)).

Fuel costs are modelled, rather than based on actual spending. They are calculated by combining the fuel requirements of the household with the corresponding fuel prices. The key goal in the modelling is to ensure that the household achieves the adequate level of warmth set out in the definition of fuel poverty whilst also meeting their other domestic fuel requirements.

b. Fuel poverty - Low Income High Costs definition

The government has recently set out a new definition of fuel poverty which it intends to adopt under the Low Income High Costs (LIHC) framework³². Under the new definition, a household is said to be in fuel poverty if:

- They have required fuel costs that are above average (the national median level)
- Were they to spend that amount they would be left with a residual income below the official poverty line

c. Dwellings occupied by a low income household

A household in receipt of:

- Income support
- Housing benefit
- Attendance allowance
- Disability living allowance
- Industrial injuries disablement benefit
- War disablement pension
- Pension credit
- Child tax credit
- Working credit

For child tax credit and working tax credit, the household is only considered a low income household if it has a relevant income of less than £15,050.

The definition also includes households in receipt of Council Tax benefit and income based Job Seekers Allowance.

³² <https://www.gov.uk/government/collections/fuel-poverty-statistics>



Appendix B Methodology for the BRE Dwelling Level Housing Stock Modelling approach

This Appendix provides a more detailed description of the models which make up the overall housing stock modelling approach and feed into the database. The process is made up of a series of data sources and Models which, combined with various imputation and regression techniques and the application of other formulae, make up the final database. The database is essentially the main output of the modelling and provides information on the key indicators and other data requirements (e.g. energy efficiency variables). An overview of the approach and a simplified flow diagram are provided in **Section 3** of this report.

The models making up the overall housing stock modelling approach are:


- SimpleCO₂ Model
- Fuel Poverty Model
- HHSRS (all hazards, falls hazards and excess cold) Models
- Disrepair Model
- Low Income Households Model

Figure B. 1 shows the data flows for the stock modelling approach, showing which models each of the outputs in the database (split into the key indicators and other information) come from. The exception is the Green Deal variables (if used) which come directly from the energy inputs, and the tenure and HMO data (if used) which come directly from the other inputs.

Section B.1 describes the SimpleCO₂ Model in more detail, **Section B.2** provides more information on the other four models and **Section B.3** gives details of the OS MasterMap/geomodelling approach.



Figure B. 1: Simplified data flow for the housing stock modelling approach





B.1 BRE SimpleCO₂ Model

BRE have developed a variant of the BREDEM³³ software, named “SimpleCO₂”, that can calculate outputs from a reduced set of input variables. These outputs are indicative of the full BREDEM outputs and the minimum set of variables the software accepts is information on:

- Dwelling type
- Dwelling age
- Number of bedrooms
- Heating fuel
- Heating system
- Tenure

The Experian UK Consumer Dynamics Database is used as a source of these variables and they are converted into a suitable format for the SimpleCO₂ software. However, these variables alone are insufficient for the software to calculate the “SimpleSAP” rating or carbon emissions estimate (one of the outputs of the SimpleCO₂ Model). Additional variables are required and as these values cannot be precisely inferred then a technique known as cold deck imputation is undertaken. This is a process of assigning values in accordance with their known proportions in the stock. For example, this technique is used for predicting heating fuels as the Experian data only confirms whether a dwelling is on the gas network or not. Fuel used by dwellings not on the gas network is unknown, so in most cases this information will be assigned using probabilistic methods. The process is actually far more complex e.g. dwellings with particular characteristics such as larger dwellings are more likely to be assigned with oil as a fuel than smaller dwellings.

The reason for taking this approach is to ensure that the national proportions in the data source are the same as those found in the stock nationally (as predicted by the EHS or other national survey). Whilst there is the possibility that some values assigned will be incorrect for a particular dwelling (as part of the assignment process has to be random) they ensure that examples of some of the more unusual types of dwelling that will be present in the stock are included.

Whilst this approach is an entirely sensible and commonly adopted approach to dealing with missing data in databases intended for strategic use, it raises issues where one of the intended uses is planning implementation measures. It must therefore be kept in mind at all times that the data provided represents the most likely status of the dwelling, but that the actual status may be quite different. That said, where EPC data has been used, the energy models (which use EPC data) are likely to be more accurate.

It is important to note that some variables have been entirely assigned using cold decking imputation techniques. These include presence of cavity wall insulation and thickness of loft insulation as there is no reliable database with national coverage for these variables.

³³ Building Research Establishment Domestic Energy Model, BRE are the original developers of this model which calculates the energy costs of a dwelling based on measures of building characteristics (assuming a standard heating and living regime). The model has a number of outputs including an estimate of the SAP rating and carbon emissions.



The “SimpleCO₂” software takes the combination of Experian and imputed data and calculates the “SimpleSAP” rating for each dwelling in the national database. The calculated “SimpleSAP” ratings are the basis of the estimates of SAP and excess cold. How the other key variables are derived is discussed later in this Appendix.

Because the estimates of “SimpleSAP” etc. are calculated from modelled data it is not possible to guarantee the figures. They do, however, provide the best estimates that we are aware can be achieved from a data source with national coverage and ready availability. The input data could, however, be improved in its:

- accuracy for example through correcting erroneous values,
- depth of coverage, for example by providing more detailed information on age of dwellings,
- breadth by providing additional input variables such as insulation.

Improving any of these would enhance the accuracy of the output variables and for this reason it is always worth considering utilising additional information sources where they are available. Using EPC data will go some way towards meeting these improvements by providing more accurate data.

B.2 Housing Condition and Low Income Household Models

This section provides further information on the remaining four models – fuel poverty, HHSRS, disrepair and low income households. These models are discussed together since the approach used for each one is broadly the same.

These models are not based solely on the thermal characteristics of the dwelling, and in some cases are not based on these characteristics at all. A top down methodology has been employed for these models, using data from the EHS and statistical techniques, such as logistic regression, to determine the combination of variables which are most strongly associated with failure of each standard. Formulae have been developed by BRE to predict the likelihood of failure based on certain inputs. The formulae are then applied to the variables in the national Experian dataset to provide a likelihood of failure for each dwelling. Each individual case is then assigned a failure/compliance indicator based on its likelihood of failure and on the expected number of dwellings that will fail the standard within a given geographic area. Thus if the aggregate values for a census output area are that 60% of the dwellings in the area fail a particular standard then 60% of the dwellings with the highest failure probabilities will be assigned as failures and the remaining 40% as passes.

The presence of a category 1 hazard failure is the only exception to this as it is found by combining excess cold, fall hazards and other hazards such that failure of any one of these hazards leads to failure of the standard.

B.3 Geomodelling - OS MasterMap information

The OS data has been used to update a number of the SimpleCO₂ model inputs. The most valuable use of the OS data is the ability to determine the dwelling type with much greater confidence.

The existing dwelling type is replaced with a new dwelling type derived from OS data. By looking at the number of residential address points it can be inferred whether the building is a house or block of flats (houses have one residential address point and blocks of flats have two or more).



Houses - where the dwelling is a house the number of other buildings it is attached to can be observed and the following assumptions made:

- If there are no other dwellings attached, the house is detached.
- If two dwellings are joined to one another, but not to any other dwellings, they are semi-detached.
- If they are attached to two or more other dwellings, they are mid terraced.
- If they are attached to only one dwelling, but that dwelling is a mid-terrace, they are an end-terrace.

Flats - if the building is a block of flats, its exact nature is determined by its age and the number of flats in the block and the following assumptions made:

- If there are between two and four flats in the block (inclusive) and the dwelling was built before 1980 then it is a conversion.
- Otherwise it is purpose built.

This information can also be used to reconcile discrepancies within blocks of flats, terraced and semi-detached houses. These discrepancies occur in variables such as dwelling age, location of flat in block, number of storeys, loft insulation, wall insulation, wall type and floor area.

Looking at dwelling age, although the OS data does not itself provide any information on age, it does allow reconciliation of age data within semi-detached, terraces and blocks of flats.

Where a group of buildings are all attached in some way, such as a terrace, it is logical to assume that they were built at the same time. Therefore the age of each building is replaced with the most common age among those present. Where the most common age occurs in equal numbers, this is resolved by looking at the average age of houses in the same postcode.

If one dwelling has an age that is notably newer than its neighbours, then the age is not changed, as it is assumed that the original dwelling was destroyed and rebuilt.

Figure B. 2 and **Figure B. 3** below show how the initial base data is adjusted using the OS data to produce more consistent and reliable results.

Considering the number of storeys and the location of a flat in its block, if the OS data reveals that the dwelling type is significantly different from the original value – specifically if a house becomes a flat, or vice versa then the variables are adjusted. If this is the case a new location for the flat within the block or the number of storeys will be imputed using the same method as before, but taking into account the revised dwelling type.

Similarly with floor area, loft insulation and wall type - if the dwelling type or location of a flat within a block changes as a result of OS data then the variables are calculated using the same method of imputation as the original models, but taking into account the new data.



Figure B. 2: Dwelling level map showing the base data, prior to using the OS data





Figure B. 3: Dwelling level map showing the OS updated data






Appendix C Using the BRE Dwelling Level Housing Stock Database

The BRE Dwelling Level Housing Stock Database is the final output of the overall stock modelling approach described in **Section 3** and **Appendix B**. The database has been designed to provide local authorities with a number of different options for summarising or investigating their data and generating lists of properties of interest. This Appendix provides details of how to use the database.

C.1 Overview

The database will automatically open on the interface screen as shown in **Figure C. 1** below.

Figure C. 1: BRE dwelling level housing sock database – opening interface screen





On the left hand side of the database is a vertical column known as the “navigational pane”. Under the heading “BRE HSM Base Data” there are 8 tables which hold the BRE housing stock model data. The tables are as follows:

Table C. 1: Summary of information provided in each table in the database

Table Name	Description
0 Address Information	Address details (building names, house numbers, postcodes), COA and Ward for each address
1 HSM Base Data Dwelling Level	Dwelling level housing stock model data and Experian tenure variable ³⁴ . SimpleSAP results: score out of 100 All other indicators: 0 = pass the standard, 1 = fail
2 HSM Base Data Postcode Level	Summary information and statistics for each of the aggregated levels specified. 5 “stock levels” are provided – all, private, owner occupied, private rented, social
3 HSM Base Data COA Level	
3A HSM Base Data LSOA Level	
3B HSM Base Data MSOA Level	
4 HSM Base Data Ward Level	
5 HSM Base Data LA Level	

C.2 Using the database

The rest of the screen is the main interface which has been developed with a number of standard queries that will present the user with information likely to be of use when reviewing data in order to design a housing stock strategy. There are 3 main sections to the interface: “Summary data”, “Search for street or postcode” and “Filter by criteria”. These sections are described in more detail below.

C2.1 “Summary data”

These options allow the user to generate summaries of their data at different levels of aggregation. The different levels of aggregation are;

- Local authority
- Ward
- MSOA
- LSOA
- COA

There are two types of summaries available at each level - totals and percentages:

³⁴ If the Experian tenure variable has been purchased.



- Totals give the user the total number of dwellings that fail a particular standard, for example, the total number of dwellings that have a HHSRS category 1 hazard in the authority.
- Percentages tell the user the percentage of dwellings that fail a criterion, for example, the percentage of dwellings suffering from HHSRS category 1 excess cold hazards.

C2.2 “Search for streets or postcodes”

These options allow the user to search for particular areas, either by street name or postcode. By clicking on a search button the user will be asked to type in either a street or postcode. A table will then be shown which provides a list of all dwellings in the street or postcode requested.

If the full name of the street is not known, wildcard characters can be used to search for close matches. A wildcard character is one that can stand in for any other letter or group of letters. Access uses an asterisk (*) as the wildcard character. For example entering “Abbey*” will return any street name starting with “Abbey”, for example, “Abbey Road”, “Abbey Close”, “Abbeyfield” etc. Wildcard characters can be used at both the beginning and the end of the search text. For example, by entering “*Abbey*” would find “Abbey Road”, “Old Abbey Road” etc.

The street names used are those provided in the Local Land and Property Gazetteer. It can sometimes be the case that a street name can be written differently across databases (e.g. “Rose Wood Close” or “Rosewood Close”). If a road name does not appear to be present, try using wildcard characters to check for alternatives.

The postcode search facility works in a similar manner. Entering “BN15 0AD” will find all dwellings in that exact post code, but entering “BN15*” will find all dwellings whose postcode begins with BN15.

Note: always close the results of an existing search before starting a new one. Clicking the button when the results of an existing search are still open will simply return to the results of that search. A search, or any other table, can be closed by clicking the “x” in the top right corner of the table window.

C2.3 “Filter by criteria”

This section allows the user to select dwellings based on one or more criteria / key indicators of interest.

First, the user needs to select which tenure(s)³⁵ they are interested in by using the “Select stock to view” on the right hand side of the box.

The default setting is that no tenures are selected, so the user will need to select at least one in order to get any results. Multiple tenures can be selected, so for the results for all the private stock select both owner occupied and private rented.

Once one or more of the tenures has been selected, choose one or more of the indicators of interest either by selecting an indicator e.g. HHSRS Cat.1 hazards will return dwelling with fail HHSRS, or for SimpleSAP enter a rating to select dwellings on and below the rating.

Once a tenure(s) and indicator(s) have been selected clicking the ‘Filter by criteria’ button will return the addresses matching the chosen criteria.

³⁵ If the Experian tenure variable has not been purchased this section is locked and only private sector stock is shown.



As with the searches, close the results of an existing selection before starting a new one.

C.3 Creating Excel files

Whilst it is possible to copy the data from any of the queries accessed from the interface screen, an option has been added to make this process easier. To output results to Excel click the “Write to Excel” check box at the bottom right of the screen. As long as this box is checked, clicking any of the summary data, search or criteria selection buttons will cause the resulting data to be written to Excel instead of being displayed.


If this option is selected when any button is clicked the database requests a format for the output data. Once the appropriate file format is selected, click “OK” and choose a file name and location and click “OK” to save the file.

This function means it is possible to rapidly export summary tables for inclusion in reports, or lists of dwellings which can be used to target improvement programmes.

Appendix D Additional maps


This Appendix provides close up maps of some of the more urban areas of East Cambridgeshire. These maps show the clear urban – rural divide in many of the housing indicators. The larger maps included above in the report do not always allow for the appreciation that smaller and denser COAs in urban areas are very different in their hazards to the surrounding rural COAs which are larger and are immediately more eye-catching. For each of the full maps in the report an additional map is shown here which zooms in on the more urban areas of the authority –in particular including Ely, Soham and Burwell.

Map D. 1: Category 1 hazards – private stock [\(click here to return to main map\)](#)






Map D. 2: Households with excess cold – private stock [\(click here to return to main map\)](#)






Map D. 3: Households with falls hazards – private stock ([click here to return to main map](#))






Map D. 4: Fuel poverty (10% definition) – private stock ([click here to return to main map](#))






Map D. 5: Fuel poverty (LIHC definition) – private stock ([click here to return to main map](#))






Map D. 6: Households on low income – private stock [\(click here to return to main map\)](#)






Map D. 7: Households with excess cold and low income – private stock [\(click here to return to main map\)](#)






Map D. 8: Average SimpleSAP – private stock [\(click here to return to main map\)](#)





Map D. 9: Households with EPC Ratings F or G – private rented stock ([click here to return to main map](#))





Glossary of terms

BREDEM	BRE Domestic Energy Model
Category 1 hazard	Hazards with a HHSRS score of > 1,000. A dwelling with a category 1 hazard is considered to fail the minimum statutory standard for housing
CLG	Department for Communities and Local Government
COA	Census Output Area Designed for statistical purposes, built from postcode units, approximately 125 households
DCLG	Department for Communities and Local Government
ECO	Energy Companies Obligation Places legal obligations on the larger energy suppliers to deliver energy efficiency measures to domestic energy users
EHS	English Housing Survey A continuous national survey commissioned by the Department for Communities and Local Government (DCLG). It collects information about people's housing circumstances and the condition and energy efficiency of housing in England
EPC	Energy Performance Certificate Present the energy efficiency of domestic properties on a scale of A (most efficient) to G (least efficient)
Fuel poverty	The original definition of fuel poverty states that a household is in fuel poverty if it needs to spend more than 10% of their income on fuel to maintain an adequate level of warmth (10% definition). The new definition now adopted by government is that a household is said to be in fuel poverty if they have fuel costs that are above average and were they to spend that amount they would be left with a residual income below the official poverty line (Low Income High Costs definition)
GIS	Geographic Information System A system designed to capture, store, manipulate, analyse, manage and present spatial or geographical data
HHSRS	Housing Health and Safety Rating System A risk assessment tool to help local authorities identify and protect against potential risks and hazards to health and safety related deficiencies in dwellings, covering 29 categories of hazards



HIA	<p>Health Impact Assessment</p> <p>A formal method of assessing the impact of a project, procedure or strategy on the health of a population</p>
HMO	<p>Houses in Multiple Occupation</p> <p>An entire house or flat which is let to 3 or more tenants who form 2 or more households and who share a kitchen, bathroom or toilet</p> <p>A house which has been converted entirely into bedsits or other non-self-contained accommodation and which is let to 3 or more tenants who form two or more households and who share kitchen, bathroom or toilet facilities</p> <p>A converted house which contains one or more flats which are not wholly self-contained (i.e. the flat does not contain within it a kitchen, bathroom and toilet) and which is occupied by 3 or more tenants who form two or more households</p> <p>A building which is converted entirely into self-contained flats if the conversion did not meet the standards of the 1991 Building Regulations and more than one-third of the flats are let on short-term tenancies</p> <p>In order to be an HMO the property must be used as the tenants' only or main residence and it should be used solely or mainly to house tenants. Properties let to students and migrant workers will be treated as their only or main residence and the same will apply to properties which are used as domestic refuges</p>
HSM	<p>Housing Stock Model</p> <p>Desktop based modelling used to determine the condition of the housing stock</p>
Jenks' Natural Breaks	<p>The natural breaks classification method is a data clustering method determining the best arrangement of values into different classes. It is achieved through minimising each class's average deviation from the class mean while maximising each class's deviation from the means of the other groups. The method seeks to reduce the variance within classes and maximise variance between classes thus ensuring groups are distinctive</p>
JSNA	<p>Joint Strategic Needs Assessment</p> <p>An assessment of the current and future health and social care needs of the local community</p>
LACORs	<p>Local Authority Coordinators of Regulatory Services – now renamed Local Government Regulation</p>
LAHS	<p>Local Authority Housing Statistics</p> <p>National statistics on housing owned and managed by local authorities</p>



LIHC	<p>Low Income High Cost</p> <p>Measure of fuel poverty, considers a household to be in fuel poverty if required fuel costs are above average, or if they were to spend that amount they would be left with a residual income below the official poverty line</p>
LLPG	<p>Local Land and Property Gazetteer</p> <p>An address database maintained by local authorities</p>
LSOA	<p>Lower Super Output Area</p> <p>Designed for statistical purposes, built from census output areas, approximately 400 households</p>
MSOA	<p>Medium Super Output Area</p> <p>Designed for statistical purposes, built from lower super output areas, approximately 2,000 households</p>
NHS	<p>National Health Service</p>
Older people	<p>People over 65 for the excess cold hazard, people over 60 for the fire and fall hazards (excl. falling between levels)</p>
OS	<p>Ordnance Survey</p>
Poor housing	<p>Dwellings where a category 1 hazard is present</p>
Private sector housing	<p>Housing not owned by the local authority or a housing association</p>
SAP	<p>Standard Assessment Procedure</p> <p>Method system for measurement of energy rating of residential buildings.</p>
SimpleSAP	<p>An estimate of a residential dwelling's likely SAP score, it is not based on the full required range of data for a SAP calculation or a reduced data SAP calculation (RDSAP), it should only ever be considered an estimate of the SAP score, and used as a guide</p>
UPRN	<p>Unique Property Reference Number</p> <p>A unique 12 digit number assigned to every unit of land and property recorded by local authorities as part of their LLPG</p>
Vulnerable persons	<p>Persons who are more likely to be affected by the particular hazard as defined by the HHSRS Operating Guidance</p>